Gwasanaeth Tân ac Achub **De Cymru** 



South Wales Fire and Rescue Service

Gofynner am/ Please ask for:	Information Governance and Compliance
Tel:	01443232000
E-bost/E-mail:	DataProtection@southwales-fire.gov.uk
Our ref:	IG000242
Dyddiad/Date:	21/05/2020

## **RE: Request for Information held by SWFRS**

Your request ref: IG000242 has been dealt with under the Freedom of Information Act 2000.

You asked us:

A. Could Wales confirm whether or not they received the deliveries on time as stipulated in the tender process from Ballyclare?

The delivery dates specified in the tender returns were extended due to delays in the award of the contract with the successful bidder as a result of a legal challenge by an unsuccessful tenderer. The revised delivery dates are not yet due.

B. Have Wales in fact received any sizeable quantities at all from Ballyclare?

As per the response in question (A) above, the deliveries are not yet due.

C. Whether or not Wales consider Ballyclare to be in default of their contract or not?

No default.

If you have any queries regarding your Freedom of Information request, please contact us at <u>Dataprotection@southwales-fire.gov.uk</u> quoting the reference number above in any future communication.

If you are dissatisfied with the way that your information request has been handled, you can request an internal review by emailing <u>Dataprotection@southwales-fire.gov.uk</u>

Pencadlys Gwasanaeth Tân ac Achub De Cymru, Parc Busnes Forest View, Llantrisant, Pont-y-clun, CF72 8LX.

> **Ffôn** 01443 232000 • **Ffacs** 01443 232180 www.decymru-tan.gov.uk

Rydym yn croesawu gohebiaeth yn y gymraeg a'r saesneg - byddwn yn ymateb yn gyfartal i'r ddau ac yn ateb yn eich dewis iaith heb oedi.

CODI YMWYBYDDIAETH - LLEIHAU PERYGL

South Wales Fire and Rescue Service Headquarters, Forest View Business Park, Llantrisant, Pontyclun, CF72 8LX.

Telephone 01443 232000 • Fax 01443 232180 www.southwales-fire.gov.uk

We welcome correspondence in Welsh and English - we will respond equally to both and will reply in your language of choice without delay.

**RAISING AWARENESS - REDUCING RISK** 

Gwasanaeth Tân ac Achub De Cymru



South Wales

Fire and Rescue Service

## **UPDATE COVID-19: Information Requests**

We are kindly asking that any data protection correspondence come to Information Governance & Compliance via email, as due to Government advice many of our support staff are working flexibly and we may not be in receipt of physical post as normal. SWFRS anticipates that it may take us longer than 20 working days to complete Freedom of Information Requests and Subject Access Requests. The Information Commissioner recognises that there might be delays as our services and resources may be being utilised in slightly different ways, under the current unprecedented circumstances. At current, we are no longer accepting physical postal cheques, however we can accept BACs payments for items that carry a fee (such as IRS Reports and Interviews, where appropriate following standard procedure and charges).

## We would like to thank you for your patience at this time.

If you remain dissatisfied with the handling of your request, you have the right to appeal to the Information Commissioner at:

Information Commissioner's Office-Wales, 2nd Floor, Churchill House, Churchill Way, Cardiff, CF10 2HH.

There is no charge for making an appeal.

Yours Faithfully

## Information Governance and Compliance

Pencadlys Gwasanaeth Tân ac Achub De Cymru, Parc Busnes Forest View, Llantrisant, Pont-y-clun, CF72 8LX.

> Ffôn 01443 232000 • Ffacs 01443 232180 www.decymru-tan.gov.uk

Rydym yn croesawu gohebiaeth yn y gymraeg a'r saesneg - byddwn yn ymateb yn gyfartal i'r ddau ac yn ateb yn eich dewis iaith heb oedi.

CODI YMWYBYDDIAETH - LLEIHAU PERYGL

South Wales Fire and Rescue Service Headquarters, Forest View Business Park, Llantrisant, Pontyclun, CF72 8LX.

Telephone 01443 232000 • Fax 01443 232180 www.southwales-fire.gov.uk

We welcome correspondence in Welsh and English - we will respond equally to both and will reply in your language of choice without delay.

**RAISING AWARENESS - REDUCING RISK**